

## **LISTING OF THE CLAIMS**

This listing of claims will replace all prior versions, and listings, of claims in the application:

1. (Currently Amended) A system for monitoring and displaying positions of competing moving objects, comprising:

a unique identifier placed onto each competing moving object, said identifier being configured to uniquely identify said each competing moving object at any moment of time;

an identifier detection means, said detection means being configured to detect relative positions of said unique identifiers with respect to each other ~~without identifying coordinates of any of said competing moving objects;~~

a processor; and

a display,

wherein said identifier detection means conveys said detected relative positions of said unique identifiers to said processor; wherein said processor determines relative positions of said competing moving objects such that one of said competing moving objects is identified as a winner based on said conveyed relative positions of said unique identifiers; and wherein said processor transmits said determined relative positions of said competing moving objects and a relative position of said identified winner to said display for displaying to observers.

2. (Original) The system according to claim 1, wherein said unique identifier is a visual pattern and wherein said identifier detection means is a camera.

3. (Original) The system according to claim 2, wherein said visual pattern comprises an identifiable color.

4. (Currently Amended) The system according to claim 2, wherein said camera detects said visual pattern of each competing moving object and its position relative to said visual patterns of

other competing moving objects such that one of said competing moving objects is identified as a winner ~~without detecting coordinates of said visual pattern.~~

5. (Previously Presented) The system according to claim 4, wherein said camera conveys said detected visual pattern and said relative position of said detected visual pattern with respect to other visual patterns to said processor, and wherein said processor determines relative positions of said competing moving objects based on the conveyed relative position of said detected visual pattern with respect to other visual patterns.

6. (Original) The system according to claim 5, wherein said processor further comprises a visual pattern recognition software.

7. (Withdrawn) The system according to claim 1, wherein said unique identifier is a chip generating electro-magnetic signals and wherein said identifier detection means is a plurality of transceivers receiving said electromagnetic signals from said chip.

8. (Withdrawn) The system according to claim 7, wherein said processor determines said relative position of said competing moving objects based on the information received from said plurality of transceivers.

9. (Withdrawn) The system according to claim 8, wherein said processor further comprises triangulation software.

10. (Currently Amended) A method of monitoring and displaying positions of competing moving objects, comprising the steps of:

uniquely identifying each competing moving object at any moment of time by a unique identifier placed onto said each competing moving object;

detecting relative positions of said unique identifiers with respect to each other without identifying coordinates of any of said competing moving objects;

conveying said detected relative positions of said unique identifiers to a processor;  
determining relative positions of said competing moving objects with respect to each other using said processor and identifying one of said competing moving objects as a winner,  
said determining and identifying being accomplished based on said conveyed relative positions of said unique identifiers;

transmitting said determined relative positions of said competing moving objects including a relative position of said identified winner to a display; and

displaying said relative positions of said competing moving objects and said relative position of said identified winner to observers.

11. (Original) The method according to claim 10, wherein said step of detecting positions of said unique identifier further comprises the step of detecting a visual pattern associated with said each competing moving object.

12. (Original) The method according to claim 11, wherein said step of determining relative positions of said competing moving objects using said processor further comprises the step of recognizing said visual pattern using a pattern recognition software.

13. (Withdrawn) The method according to claim 10, wherein said step of detecting positions of said unique identifier further comprises the step of detecting an electro-magnetic signal produced by a chip associated with said each competing moving object.

14. (Withdrawn) The method according to claim 13, wherein said step of determining relative positions of said competing moving objects using said processor further comprises the step of triangulating a plurality of said electromagnetic signals.

15. (New) The method according to claim 10, wherein said step of transmitting said determined relative positions of said competing objects includes multiplying said determined relative positions by a predetermined multiplier to obtain relative display positions of said competing

objects and wherein said step of displaying said relative positions of said competing moving objects includes displaying said relative display positions of said competing objects.

16. (New) The method according to claim 15, wherein said predetermined multiplier is based on said determined relative positions of said competing objects and a size factor of said display.

17. (New) The system according to claim 1, wherein said processor comprises means for multiplying said determined relative positions by a predetermined multiplier to obtain relative display positions of said competing objects and wherein said display comprises means for displaying said relative display positions of said competing objects.

18. (New) The system according to claim 1, wherein said predetermined multiplier is based on said determined relative positions of said competing objects and a size factor of said display.